[582]

II. An Eclipse of the Sun, July 14. 1748. observed by the Right Honourable James Earl of Morton, Mr. le Monnier, Royal Astronomer and Member of the Royal Academy of Sciences at Paris, and Mr. Ja. Short, Fellows of the Royal Society.

HESE Observations were made at Aberdour Cassle, belonging to the said Earl, whose Latitude is 56° 4' N.

Mr. le Monnier having come over from France to go to Scotland, to observe the annular Eclipse of the Sun, July 14. 1748. I was desirous to contribute all that lay in my Power to assist him, and therefore resolved to go to Scotland with the Right Honourable the Earl of Morton, who was so good as to permit us the Honour of accompanying him.

We arrived at Edinburgh July 4. and immediately went to the College, to enquire what Preparations were made there, in consequence of Letters we had wrote before we lest London; when Mr. Alexander Monro, Professor of Anatomy, informed us, that, upon Receipt of outs, he had wrote circular Letters to all his Friends in different Parts of the Country, to prepare, in the best manner they could, for the most exact Observation of this Eclipse.

We found that the meridian Mark, which had been fettled from Observations, by the late worthy Mr. Mac Laurin, was lost, by the taking down of a Chimney, upon which it was fixed; and Mr. Matthew

Matthew Stewart, the present Prosessor, having no proper Instruments, had not as yet re-established it; which we hoped to do by an Instrument, which we every Day expected from London; and Mr. Stewart having promised to make the best Observation he could, we resolved to set out for Aberdour, a Seat of the Earl of Morton's, which he readily offered to us, and did us the Honour to accompany us thisher himself, having the same Desire and Curiosity to do whatever lay in his Power to contribute to an exact Observation.

Aberdour is about 10 Miles almost N. W. of Edinburgh. We chose this Place, as being, by the Computations of this Eclipse, at or very near the Southern Limit of the Annulus.

In the Castle of Aberdour, Lat. 56° 4' N. and 25" of Time West of the College of Edinburgh, we set up a Clock, July 9. and the Weather being cloudy, and our Equal-Altitude Instrument and Transit not being yet arrived, we on the 11th made use of an Equatorial Telescope of my Lord Morton's, to find corresponding Altitudes of the Sun, and at the same time put up a Gnomon of 15 Feet high.

Being uneasy that our Instruments were not come to Hand, and resolving to have a Communication with the College of Edinburgh, where they had a Transit Instrument; my Lord Morton proposed that two Cannon should be fired from the Castle of Edinburgh, one precisely at 12 o' Clock, and the other at 5' after 12 on the Day of the Eclipse; and the different Observers in different Parts of the Country to be advertised of this, and to mark down the precise Time of seeing the Flash, or hearing the Sound

Sound of the Cannon; so that, after having made a geographical Map of these different Parts of the Country, and having sound the exact Meridian of one Place, we should be enabled to settle the Times of all the rest by the Difference of Meridians sound by this Map. This was settled and agreed to on the 12th, and an Express sent over to Edinburgh with a Letter from my Lord Morton to the Lord Justice Clerk, to desire this Favour of General Bland, who very readily granted it.

The 13th being a clear Day, we took equal Altitudes with the Equatorial Telescope, and found our Clock gained 1' 46" in two Days, and that the Sun passed the Meridian at 12^h 7' 6" by the Clock.

July 14th was an exceeding bad Morning both for Wind and Rain; but about 8 in the Morning, the Clouds dispersed, and we had a very clear Sun.

In order to observe the Eclipse, my Lord Morton made use of a reslecting Telescope, 12 Inches socal Length, magnifying about 40 times. I made use of a reslecting Telescope 4 Feet Focus, magnifying about 120 times; both belonging to my Lord Morton. Mr. le Monnier made use of a restracting Telescope, about 9 Feet Focus, which he brought with him from France, armed with a Micrometer, made after the Method of Mr. George Graham, by the late Mr. Sisson at London.

Mr. le Monnier took his Station in the Garden, under the Window of the Room where the Clock was placed; my Lord Morton was in the Room next that where the Clock flood; and I was at the Window next the Clock.

Clock. True Time. 1 11 8 47 5 The Eclipse not yet begun. 8 55 0 Clouds come on. 8 51 18 Beginning of the Eclipse, 8 59 13 found by the following Chord. 8 52 47 First View of the Eclipse, 0 42 then confiderably advanced. 8 54 35 Measured the Chord of the 9 2 30 Part eclipfed; which was found equal to the Field of the great Reflector. 10 6 10 - 9 58 12 The illuminate Part of the Sun, measured by the Micrometer, and found =7'37"= o Again measured, and found 10 45 0 10 37 $=7'37'^{\frac{1}{2}}$ My Lord Morton judged the Middle of the Eclipse, or nearest Approach to an Annulus, at 10 17' 54" apparent Time. 11 52 43 11 44 40 The same Phase or Chord observed as at the Beginning, and measured both in the Telescope, as at first, and by the Micrometer. and found = 8' 25'' of a great Circle, as verified by a Base after the Eclipse was over, which gives the End as exact as the Beginning.

Clock. True Time.

11 56 21 11 48 18 End of the Eclipse by the preceding Chord.

Mr. le Monnier measur'd with the Micrometer the apparent equatorial Diameter of the Moon, when she was upon the Sun; which he found $= 29' 47'' \frac{1}{2}$. He measured also the apparent vertical Diameter of the Sun at Noon; which he found = 31' 40''.

The Micrometer, with which he measured these Diameters, was afterwards verified, by a Base of 2570 Feet, and two Marks, placed at right Angles to its Extremity, at the Distance of 22 Feet from one another.

The Flash of the first Cannon fired from the Castle was feen at 12h 3' 4" by the Clock; and the Flash of the second Cannon also by the Clock at 12h 8' 4". The Eclipse was so nearly annular, that, at the nearest Approach, the Cusps seemed to want about of the Moon's Circumference to be joined; yet a brown Light was plainly observed, both by my Lord Morton and myself, to proceed or stretch along the Circumference of the Moon, from each of the Cusps, about 1 of the whole Distance of the Cusps from each Cusp; and there remained about 4 of the whole Distance of the Cusps not enlightned by this brown Light; so that we were for some time in Suspense whether or not we were to have the Eclipse annular with us. I observed, at the Extremity of this brown Light, which came from the Western Cusp, a larger Quantity of Light, than in any other Place, which at first surprized me; but afterwards

afterwards I imagined it must have proceeded from fome Cavity or Valley made by two adjoining Mountains on the Edge or Limb of the Moon. often formerly observed Mountains on the Circumference of the Moon, more or less every-where round it, but never faw them so plain as during the Time of this Eclipse; for we had the Air exceeding clear, and free of all Agitation, notwithstanding it blew a perfect Hurricane of Wind, which began about the Middle of the Eclipse; and I remember, in the annular Eclipse of the Sun in the Year 1737. it did the same. The mountainous Inequalities on the Southern Limb of the Moon were particularly remarkable; in some Parts Mountains and Valleys alternately; others extended a confiderable Way along the Circumference, and ended almost perpendicularly like a Precipice. My Lord Morton was able to see them very easily thro' his small Reflector.

A little after the Middle of the Eclipse, some Clouds, that seemed stationary below the Sun, appeared tinged on their upper Extremities with all the Colours of the Rainbow.

During the greatest Darkness, some People, who were in the Garden adjoining to the Castle, saw a Star to the East of the Sun; which, when they afterwards told us, and pointed to the Place where they had seen it, we found must have been the Planet Venus. This Star, we were afterwards told, was seen also at Edinburgh, and other Places, by a great Number of People; but I did not hear of any other Stars being seen. The Darkness was not great, but the Sky appeared of a faint languid Colour. What is Hhhhh

pretty remarkable, is, Mr. le Monnier assured us, that when he looked at the Sun with his naked Eyes during the Middle of the Eclipse, he could observe nothing upon the Sun, but saw the Sun full, tho faint in his Light. This, I am apt to imagine, may be owing to his being short-sighted.

I observed also, about the Middle of the Eclipse, a remarkable large Spot of Light, of an irregular Figure, and of a considerable Brightness, about 7' or 8' within the Limb of the Moon next the Western Cusp. I thought I lost this Light several times; but whether this was owing to my shutting my Eyes, in order to relieve them, or not, I cannot tell. I am told, that the Rev. Mr. Irwin at Elgin observed the same. When I sirst perceived it, I called to my Lord Morton, who was in the next Room, but he could not see it.

Before the Eclipse began, and during the whole Time of the Eclipse, the Air, as I said before, being exceeding clear, I saw thro' the four Foot Reflector, the Surface of the Sun cover'd with fomething which I had never observed before; it seemed to be all irregularly overspread with Light, and a faint Shade, especially towards his equatorial Diameter. This Appearance was so odd, that it is difficult to describe it, fo as to give an adequate Idea of what I faw; but if I may be allowed the Expression, it seemed as it were curdled with a bright and more dusky Light or Colour. This Appearance was permanent, and regularly the same; and if in any degree seen before, may have given Rife to Faculæ having been feen in the Sun; but to me the whole Sun's Body seemed to be more or less cover'd with it.

[589]

I looked with all the Attention possible, to see if I could observe the Body or Limb of the Moon before she touched the Sun, and also after she lest it, and was intirely off the Sun, but could see nothing at all of any such Appearance. I mention it to satisfy Mr. De Lisle, who publicly desired this might be attended to.

The Barometer had been falling for several Days before the Eclipse; and even that Morning; when it was at 29.2 Inches. But during the Eclipse it began to rise.

		Divisions.
July 11. at 8th in the Morning the Th	iermome	eter
flood at h,	-	- 54
at 12 o or Noon at	-	- 56
at 4, 0 p. m. at -	-	- 60
July 12. at 11 o a.m. it stood at	-	- 57
at 12 o or Noon, at	•	- 5 8
July 13, at 8 30 a.m. it stood at	•	- 55 1
at 1 0 $p.m.$ at	-	$-57\frac{1}{2}$
July 14. at 8 0 a. m. at -	~	- 56
at 8 53 at	-	- 57
at 9 7 at -	-	- 57%
at 9 20 at -	•	- 57 1
at 10 8 at -	-	- 57
at 10 26 at -	•	- 563

All these Observations of the Thermometer were taken when it stood in the Shade; and the Times are by the Clock. Immediately after the Middle of the Eclipse, the Thermometer, when exposed to the Sun for the Space of 10' of Time, rose only half a Division.

Hhhh 2

Ther.

[590]

					Divisions
Thermon	eter still	e xpofed	to	the Sun,	
at 10 ^h 4	46' 00", 1	stood at	-	-	- 58%
at 10	51 30 at	•		-	- 62
at 10	7 30 at	-		-	$-63\frac{1}{2}$
atii	4 00 at	-	-	**	- 66
at 11 1	o oo at	-		-	- 70
at 11 3.	4 00 at	•	-	•	- 75 1

Thermometer replaced in the Shade after this last Observation,

at	12h	54'	flood	at		•			-	$60\frac{1}{2}$
at	I	28	aŧ	-		-	-		-	61+
at	5	50	at	-		-			-	<i>59</i> .
at	7	30	at	-	-	-	-		-	581
July	15.	The	rmom	eter	at 81	a.m.	stood	at	-	56
					at 9	aţ	•,			57
					at 10	at			-	60

These Observations were made with a Thermometer of Fahrenheit's Scale, the Divisions of which were very sensible. We did not at all perceive or feel any greater Degree of Cold, during the Eclipse, than we felt before it began.

The Weather being very bad at Edinburgh, Mr. Matthew Stewart, the Professor of Mathematics, could make no Observations of the Eclipse; he only saw the End at 11^h 50′ 34″ true Time; and even then the Sun was somewhat cloudy: He took however the Sun's Transit over the Meridian (as then supposed) at 12^h 7′ 42″ by his Clock, and heard the second Cannon fired from the Castle at 12^h 4′ 48″ by the Clock. We afterwards, in a few Days, examined his meridian Mark with a very exact equal Altitude Instrument by three

[591]

three several correspondent Observations; and sound his Mark 3' 22" of Time to the West of the true Meridian. The College is about 2500 Feet distant from the Castle Eastward.

The Rev. Mr. Bryce, at Aldiston, about 6 Miles to the West of Edinburgh, Lat. 55° $55'\frac{1}{2}$ N. observed with a reslecting Telescope, 9 Inches Focus,

	h	, 1	1#
The Beginning of the Eclipse at	8	52	30
Upper Horn or Cusp vertical, at		5	
Hitherto the Western Cusp lower than	-		
the Eastern.			
The two Cusps horizontal at	10	13	10
The Western Cusp ascends very fast at	ÍO	14	QI
The Western Cusp vertical at	10	16	15
The Cusp which was just now vertical,			
now becomes East, and about 30°	10	17	10
from the Zenith to the East at			
The Middle of the Eclipse as near as a	τO	17	4.0
he could judge at	•	* /.	T ♥
The lower Cusp at the Nadir, and very	10	24	15
ragged and uneven, at		-7	7)
The same Cusp still in the same Po-	10	32	_
fition at	10	32	7
The fame Cusp seems to begin to move?	7.0	4.3	0.41
towards the West at		43	3)
The Motion of this Cusp scarce sensible	10	55	1 2
at	10	5)	4)
The other Cusp Middle between the			
Zenith and the Nadir towards the	11	0	25
East at			
End of the Eclipse, the Sun being quite	ŢΤ	4.8	40
clear at		40	4.0
			I

[592]

I shall set down the following Observations of this Eclipse just as they came to my Hand when in Scotland, without making any other Remark, than that, from the Disagreement among themselves, they do not all of them seem to have been made with due Accuracy and Attention; for want, I suppose, of sufficient Practice in this kind of Observations.

William Crow Esquire, at his House of Netherbyres near Haymouth, Lat. 55° 51' N. says,

The Eclipse began at .	•	. 8	55 0
Half of the Sun cclipfed at		. 9	50 0
Middle of the Eclipse, to of the cover'd by the Moon at	Sun's Limb	310	25 0
End of the Eclipse at .	•		55 0

Mr. John Mair, at Air, Lat. 55° 30' N. fays, the Eclipse began at 8^h 45'; but that, by reason of Clouds, he could make no other particular Observation; only that, by a View he had of the Sun some little Time before the End, he thinks the End of the Eclipse might be about 11^h 48'.

Mr. Mark, Teacher of the Mathematics at Dundee, Lat. 56° 25' N. observed,

The Beginning of the annular Appearance at 10 16 44 End of the annular Appearance at . . . 10 23 8

He says, the best Observations make the Annulus a small Matter narrower on the upper than lower Side; by which it appears the Centre of the Eclipse was to the Northward of Dundee.

[593]

Mr. John Stewart,	Professor of Mathematics	at
Aberdeen, writes, that,	by an Observation made	at
Monross, Lat. 560 41',		

						•	
The annular Appearan	ce b	egan at	•	•	10	20	0
Annulus ended at	•	•		•	10	24	30
End of the Eclipse at		•		•	II	52	45

And that, by an Observation made at a Place about 18 Miles S.W. of *Aberdeen*,

							h	1	11'
The Eclipse	began	at		•	•	•	8	52	0
Middle at			•	•	•	•	10	2 I	0
End at	•	•		•	•	•	II	52	0
And that	at Abo	erde	en, I	.at. 5 7	° 11′	N.	ħ	1	11
The Eclipse				•			8	55	33
Middle of the pearance,	ie Eclip as near	as h	and a e coi	annula ald iud	r Ap- ge, at	}	10	23	3
End of the							10	24	48

He writes also, that he received an Account from Mr. Reid, Minister at New Macchar, about 7 Miles N. W. of Aberdeen, who observed

The Beginning of the annular Appearance at 10 18 28 And the End of the Eclipse at 11 49 3

Mr. Stewart says, that, by comparing his Observation at Aberdeen with this of Mr. Reid's, he apprehends he is in a Mistake as to his judging of the Middle of the Eclipse, and annular Appearance; and reckons, that the annular Appearance began at Aberdeen at 10^h 19', and ended as above. By which the total Duration of the Annulus was 5' 48"; and the End of the Eclipse at Aberdeen was at 11^h 49' 33".

The

594

The Rev. Mt. Irwin, at Elgin, Lat. 57° 24', fays, the Eastern Limb of the Moon touched or entered on the Western Limb of the Sun at 8h 57'; tho' he suspects it began a little sooner (another having taken the Telescope out of his Hand); for when he looked, the Moon was a little advanced on the Difc of the Sun about 30° from the Zenith of the Sun towards the West.

The Eastern Cuspin the Zenith of the Sun at 9 6 Eastern Limb of the Moon reached the \ 9 39

Centre of the Sun at

The Annulus began about 30° from the Zenith of the Sun Westward at 10 20 The Annulus appeared most perfect at 10 22 45

Tho', as nearly as he could difcern, he thought it a little narrower on the South-west Limb of the Sun, than it was on the opposite Side. From hence it should appear, that the Centre of the Eclipse was to the Southward of Elgin.

The Annulus was observed to break on the Southeast Limb of the Sun, about 30° from the Nadir.

at 10^h 25' 30''.

Before the joining of the Cusps of the Sun, as also at the breaking of the Annulus, he says, he observed a quick tremulous Motion, and several irregular bright Spots between the Cusps, which disappeared in a few Moments; and he thought the Moon's Body passed quicker about the Time of the Annulus (especially as it was forming), than at any other Time during the Eclipse.

Before the Western Limb of the Moon reached the Centre of the Sun's Dife, the Sun was hid under

[595]

a Cloud, and continued so, till within some little Time of the End of the Eclipse, which happened at 11^h 50'.

There was no Cloud all the Time of the Formation of the Annulus, or the Duration of it; and he thinks he is pretty right, as to the Time of its Continuance; for both the Formation and Breaking were very sensibly to be observed, and passed in a Moment; affording a very pleasant Sight, by the irregular tremulous Spots of the Sun.

He says, the Darkness, during the Annulus, was not so great as a little before and after; and, when greatest, was only somewhat duskish, but observable. Some saw a Star to the East of the Sun; but he saw it not, nor any present with him. He was told of it after his Observation was over.

He says, that, by an Observation taken of the Sun that Day at Noon, he found that his Clock was somewhat less than a Minute saster than the Sun. He says also, that he observed this Eclipse with a Telescope 3 Feet long, and that he had a very good Burning-glass; but that it had little Force, during the Annulus, and some short time before and after.

Mr. Duncan Frazer writes to Mr. Monro, Professor of Anatomy at Edinburgh, that he went to the House of Culloden, Lat. 57° 29' N. on purpose to observe the Eclipse; it having been said, that the Centre of the Eclipse would pass there; and after having adjusted his Clock by the Regulator-Clock of a Watch-maker at Inverness, he observed the Eclipse with a Telescope sive Feet long, and found

Iiii The

[596]

The Beginning precisely at	•		. 8 37	36
Beginning of the Annulus a	t	•	. 10 0	10
End of the Annulus at	•	•	. 10' 5	10
End of the Eclipse at	•	•	. 11 29	30

By comparing his Observation with that sent him by Mr. Irwine at Elgin, he imagines his Clock was not to true Time, since there is so great a Difference, and more than the Difference of Longitude between the two Places will allow; it being no more than 26 computed Miles, and nearly in the same Parallel of Latitude.

Mr. Murdock Mackenzie (who has for some Years past been making a Survey of the Islands of Orkney, and whose Abilities for such an Undertaking give us Hopes he will for the future free Navigators of a great many melancholy Disasters, which formerly happened in those Seas, thro' the Want of true Charts) made the following Observation at Kirkwall in the Island of Pomona in Orkney, the Latitude of which is 58° 58' N.

Beginning of the Eclipse about	•	•	8	40
End of the Eclipse about		•	II	37

He says, that, by reason of Clouds, he could not be perfectly exact, as to the precise Time of Beginning or Ending; but adds, that the Beginning cannot be more than 4' wrong, nor the End more than 2'. He says, he is sure he did not see it annular, but that there remained about \(\frac{1}{3}\) or \(\frac{1}{5}\) of the Sun's Circumference intercepted at the Middle of the Eclipse.

[597]

P. S. It having been an Opinion pretty generally received, that the darker Parts of the Moon's Surface are Water, I take this Opportunity to remark. that though those less lucid Spaces are for the most part, to Appearance, evenly extended Surfaces, when Telescopes of small magnifying Powers are made use of, yet, when they are examined with larger Magnifiers, it is easy to discern on them many Protuberances in a longitudinal Direction; and that these Risings are really elevated above the common plane Surface, is past all Question, from their projecting Shadows, always opposite to the Sun: Moreover they are of the very same Colour as the Plane they arise from, of the like smooth Surfaces, without any sensible Asperities; and invariably the same, under the like Positions of the Sun to the Moon, at least as far as I have been able to discover in 12 or 15 Years frequent Observations of them.

Ja. Short.

liiiz

III.